

Designed by Komplot Design

PRODUCT



Item no.: 21001-52-XX
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - VENEER - FRONT UPHOLSTERED

- Blackstained beech / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30
- Oak / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30

- Blackstained beech / Oak base // Gloss level 20-30 / Gloss level 20-30
- Oak / Oak base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / Oak base // Gloss level 20-30 / Gloss level 20-30


- Blackstained beech / American Walnut base // Gloss level 20-30 / Gloss level 20-30
- Oak / American Walnut base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / American Walnut base // Gloss level 20-30 / Gloss level 20-30

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 5, GUBI 52, GUBI 53



COLOURS



// Blackstained beech



// Oak

Photo coming soon

// American Walnut

FACTS

MEASUREMENT - L X W X H MM

Sitting height: 460 mm
Seat width: 509 mm
Seat depth: 550 mm
Seat height: 487 mm
Back height: 380 mm
Frame width: 519 mm
Frame depth: 479 mm
Chair height: 816 mm
Shell thickness: 5 mm
Front upholstered: 10 mm
Legs width: 20 - 45 mm

WEIGHT ITEM
4,380 kg

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - L X W X H CM
L:59 X W:55 X H:84 CM

WEIGHT PACKAGING - MATERIAL TYPE


- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 2192 g
- Cardboard extra bottom: 408 g
- Polybag PE: 200 g
- LD-EPE foam protector: 100 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL
7,295 kg

ACCESSORIES

BLACK PLASTIC GLIDES FOR CARPETING ARE STANDARD.
FELT GLIDERS ON REQUEST.

CHAIR SUSPENSION FOR TABLES.



NUMBER OF PARCELS
1 pcs.

UPHOLSTERING - *WXL*
- Fabric (1pcs) : 140 cm x 1,03 m
- Fabric (2pcs) : 140 cm x 0,8 m
- Leather: 1,24 m²

CLEANING AND MAINTENANCE

For cleaning **the upholstered surface**, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of **the wooden surface** and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-

