

Designed by Robert Dudley Best

PRODUCT



COLOURS



DESCRIPTION

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people Appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

VERSION - BESTLITE FLOOR LAMP BL4

Shade: Charcoal black, Matt-White, Grey, Brass, or Bone China
 Tube, arm, and foot base: Brass with lacquered surface
 Fabric wire - Brass colour

Colour codes are indicative.

- Charcoal black/Brass / White inside // RAL 9011 / RAL 9003 // Gloss level 10 / Gloss level 20
- Grey/Brass / White inside // RAL 2604005 / RAL 9003 // Gloss level 10 / Gloss level 20
- Brass/Brass / White inside // - / RAL 9003 // - / Gloss level 20
- Matt-White/Brass / White inside // RAL 9003 / RAL 9003 // Gloss level 10 / Gloss level 20
- Glossy Bone China/Brass


Please contact us for other colours or finishes.

VERSION

Order item - look for part number in the pricelist.

Series contains the following:

BL3S, BL3M, BL3 Original shade, BL4



FACTS

MEASUREMENT - L X W X H MM

- Lamp height: 47,2-82,7 inches
- Lamp stand: dia. 11 inches
- Shade height: 7 inches
- Shade diameter: dia.8,3 inches
- Cord - total length w/sw: App. 167 inches
- Cord - exposed out of lamp: App. 166,5 inches

WEIGHT ITEM - LAMP INCL. WIRE
 8900 g

PACKAGING TYPE
 Cardboard box

PACKAGING MEASUREMENT - L X W X H CM
L:12,9 x W:13,7 x H: 55 inches

WEIGHT PACKAGING - MATERIAL TYPE

- LD EPE foam top: 26 g
- LD EPE foam top: 12 g
- Paper Egg crate top: 362 g
- Paper Egg crate top: 432 g
- Paper Egg crate bottom: 206 g
- Bestlite key: 18 g
- PE polybag: 1 g
- PE polybag: 79 g
- Cardboard outside: 1837 g
- Cardboard top: 131 g
- Cardboard bottom: 62 g

WEIGHT PACKAGING - TOTAL
 12066 g

NUMBER OF PARCELS
 1 pcs.

LIGHT SOURCE:

- Socket: E12 base
- Recommended light source: *All LED and fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W
- Recommended light source: *Halogen light bulb*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 30 W

- All lamps can be fitted with a dimmer.
 Please contact your local electrician.

- Lightbulb not included

BESTLITE BL4 // FLOOR LAMP, US MODEL

BESTLITE COLLECTION

Designed by Robert Dudley Best

CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

ACCESSORIES

-

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS


STANDARD

STOCK - BL4 FLOOR LAMP

- US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)
- US voltage: 120 V
- Frequency: 60 Hz
- Supply voltage: AC power ~
- Normally Closed: IP20



Class II / Double insulated



KOMPONENTS

- 02 // Shade Ø210
- 05 // E12 Lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 18 // Bestlite clip
- 19 // Bestlite nut
- 20 // Bestlite bolt
- 21 // Tension spring
- 22 // Fibre washer
- 23 // Cord grip
- 24 // Cord grip cover
- 25 // Acetate
- 31 // Collar
- 34 // Base cover
- 37 // Feltac
- 38 // Textile covered cord
- 60 // Bestlite arm BL4
- 61 // Tension ring BL4
- 62 // Stander BL4
- 63 // Counter weight BL4
- 64 // Cord grip BL4
- 65 // Corel grip cover BL4
- 66 // Cable grommet BL4

- 14 // Bestlite key
- 43 // Foot switch
- 58 // Plug

MATERIAL

Shade and base: Powder coated aluminium
 Tube and arm: Chromed steel
 Textile covered cord

INSTALLATION INSTRUCTIONS

The Bestlite key:

A practical tool that enables you to fasten the lamp arm. Simply use like a screwdriver in the slot in the Bestlite nut.

PRODUCT



Item no.: 001-0430X
+ style code

DESCRIPTION

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people Appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

VERSION - BESTLITE FLOOR LAMP BL4

Shade and base: Black, White or Off-White
Tube and arm: Chrome

RAL codes are indicative.

- Fabric wire - Black:
- Black / White inside // RAL 9004 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Off-White:
- Off-White / White inside // RAL 1015 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - White:
- White / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20


Please contact us for other colours or finishes.

VERSION


Order item - look for part number in the pricelist.

Series contains the following:

BL3S, BL3M, BL3 Original shade, BL4



COLOURS



FACTS

MEASUREMENT - L X W X H MM
Lamp height: 1200-2100 mm
Lamp stand: Ø280 mm
Shade height: 180 mm
Shade diameter: Ø210 mm
Cord - total length w/sw: App. 4250 mm
Cord - exposed out of lamp: App. 4230 mm

WEIGHT ITEM - LAMP INCL. WIRE
8900 g

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - L X W X H CM
L:33 x W:35 x H:140 cm

WEIGHT PACKAGING - MATERIAL TYPE

- LD EPE foam top: 26 g
- LD EPE foam top: 12 g
- Paper Egg crate top: 362 g
- Paper Egg crate top: 432 g
- Paper Egg crate bottom: 206 g
- Bestlite key: 18 g
- PE polybag: 1 g
- PE polybag: 79 g
- Cardboard outside: 1837 g
- Cardboard top: 131 g
- Cardboard bottom: 62 g

WEIGHT PACKAGING - TOTAL
12066 g

NUMBER OF PARCELS
1 pcs.

LIGHT SOURCE:

- Socket: E12 base
- Recommended light source: *All fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W

- Recommended light source: *Halogen light bulb*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 28 W

- All lamps can be fitted with a dimmer.
Please contact your local electrician.

- Lightbulb not included

BESTLITE BL4 // FLOOR LAMP, US MODEL
 Designed by Robert Dudley Best

BESTLITE COLLECTION

CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

ACCESSORIES

Item no.: 001-99058C plug US

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

STANDARD

STOCK - BL4 FLOOR LAMP

- US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)
- US voltage: 120 V
- Frequency: 60 Hz
- Supply voltage: AC power ~
- Normally Closed: IP20



Class II / Double insulated



Luminaires accepted for mounting on a flammable base

KOMPONENTS


Item no.: 001-0430X

- 02 // Shade Ø210
- 05 // E12 Lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 18 // Bestlite clip
- 19 // Bestlite nut
- 20 // Bestlite bolt
- 21 // Tension spring
- 22 // Fibre washer
- 23 // Cord grip
- 24 // Cord grip cover
- 25 // Acetate
- 31 // Collar
- 34 // Base cover
- 37 // Feltac
- 38 // Textile covered cord
- 60 // Bestlite arm BL4
- 61 // Tension ring BL4
- 62 // Stander BL4
- 63 // Counter weight BL4
- 64 // Cord grip BL4
- 65 // Cord grip cover BL4
- 66 // Cable grommet BL4

- 14 // Bestlite key
- 43 // Foot switch
- 58 // Plug

MATERIAL

Shade and base: Powder coated aluminium
 Tube and arm: Chromed steel
 Textile covered cord



INSTALLATION INSTRUCTIONS

The Bestlite key:

A practical tool that enables you to fasten the lamp arm. Simply use like a screwdriver in the slot in the Bestlite nut.